



SAFETY DATA SHEET ZOK MX

1. Identification

Product identifier

Product name ZOK MX

Recommended use of the chemical and restrictions on use

Application Cleaning compound, turbine engine gas path.

Details of the supplier of the safety data sheet

Supplier Zokman Products Inc.
1220 E. Gump Road
Fort Wayne
IN 46845
USA
+1 800 727 6027
+1 260 637 4038
+1 800 844 3227
+1 260 637 5031
zzokman@aol.com

Manufacturer ZOK International Group
Airworthy House
Elsted Marsh
Midhurst
West Sussex
GU29 0JT
+44 (0) 333 700 2727
zok@zok.com

Emergency telephone number

Emergency telephone CHEMTREC; 24 Hours. (800) 424-9300

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Eye Irrit. 2A - H319

Environmental hazards Not Classified

Label elements

Hazard symbols



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

ZOK MX

Precautionary statements P264 Wash contaminated skin thoroughly after handling.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/ attention.

Contains Isotridecylalcohol, ethoxylated

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Mixtures

Isotridecylalcohol, ethoxylated	10-30%
CAS number: 69011-36-5	

Classification

Acute Tox. 4 - H302

Eye Irrit. 2A - H319

3-butoxypropan-2-ol	1-5%
CAS number: 5131-66-8	
Classification	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	

CAS number: 5131-66-8

Classification

Skin Irrit. 2 - H315

Eye Irrit. 2 - H319

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin Contact Remove affected person from source of contamination. Take off immediately all contaminated clothing and wash it before reuse. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

Eye contact Remove affected person from source of contamination. Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

Most important symptoms and effects, both acute and delayed

Inhalation Vapors may irritate throat/respiratory system. Symptoms following overexposure to vapor may include the following: Coughing, chest tightness, feeling of chest pressure.

Ingestion May cause stomach pain or vomiting.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

ZOK MX

Eye contact Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

Indication of immediate medical attention and special treatment needed

Specific treatments Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Special hazards arising from the substance or mixture

Specific hazards None known.

Hazardous combustion products Carbon monoxide (CO). Carbon dioxide (CO₂).

Advice for firefighters

Protective actions during firefighting No specific firefighting precautions known.

Special protective equipment for firefighters Use air-supplied respirator, gloves and protective goggles.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions Avoid discharge to the aquatic environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Small Spillages: Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Collect and dispose of spillage as indicated in Section 13. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Collect and dispose of spillage as indicated in Section 13.

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions Avoid contact with eyes. Avoid spilling.

Conditions for safe storage, including any incompatibilities

Storage precautions Store at temperatures between 4°C and 50°C. Store in tightly-closed, original container. Store in a dry place.

Storage class Chemical storage.

Specific end uses(s)

ZOK MX

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure controls/Personal protection

Triethanolamine (CAS: 102-71-6)

Ingredient comments No exposure limits known for ingredient(s).

Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients. Avoid inhalation of vapors and spray/mists.

Eye/face protection

Wear chemical splash goggles.

Hand protection

Wear protective gloves made of the following material: Nitrile rubber.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap and water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate hand lotion to prevent defatting and cracking of skin. When using do not eat, drink or smoke.

Respiratory protection

Respiratory protection may be required if excessive airborne contamination occurs. Use approved respirator if air contamination is above an acceptable level. Wear a respirator fitted with the following cartridge: Organic vapor filter.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Colorless liquid.
Color	Colorless.
Odor	Characteristic.
Odor threshold	Not available.
pH	pH (concentrated solution): 8.2-8.5
Melting point	>0°C
Initial boiling point and range	100°C @ 760 mm Hg
Flash point	> 100°C Pensky-Martens closed cup.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not known.
Vapor pressure	Not applicable.
Vapor density	Not applicable.

ZOK MX

Relative density	1.01 @ 20°C
Solubility(ies)	Soluble in water.
Partition coefficient	log Pow: < 3
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	7.40 cSt @ 20°C
Explosive properties	Not considered to be explosive.
Oxidizing properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidizing.
Volatile organic compound	This product contains a maximum VOC content of 50 g/L. Average VOC content: 41.2 g/L

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
Materials to avoid	Strong oxidizing agents. Strong reducing agents.
Hazardous decomposition products	Heating may generate the following products: Carbon monoxide (CO). Carbon dioxide (CO ₂).

11. Toxicological information

Information on toxicological effects

Serious eye damage/irritation

Serious eye damage/irritation Causes eye irritation.

Germ cell mutagenicity

Genotoxicity - in vitro Does not contain any substances known to be mutagenic.

Genotoxicity - in vivo Does not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Reproductive toxicity - development Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

Target organs No specific target organs known.

Specific target organ toxicity - repeated exposure

Target organs No specific target organs known.

ZOK MX

Inhalation	May cause sensitisation by inhalation.
Ingestion	May cause stomach pain or vomiting.
Skin Contact	May be slightly irritating to skin.
Eye contact	May cause eye irritation.
Target Organs	No specific target organs known.

Toxicological information on ingredients.Isotridecylalcohol, ethoxylatedAcute toxicity - oral

ATE oral (mg/kg)	500.0
------------------	-------

Serious eye damage/irritation

Serious eye damage/irritation	Irritation of eyes is assumed.
-------------------------------	--------------------------------

Respiratory sensitization

Respiratory sensitization	Not known.
---------------------------	------------

Skin sensitization

Skin sensitization	Not known.
--------------------	------------

3-butoxypropan-2-olAcute toxicity - oral

Acute toxicity oral (LD ₅₀ mg/kg)	2,100.0
----------------------------------------------	---------

Species	Rat
---------	-----

ATE oral (mg/kg)	2,100.0
------------------	---------

12. Ecological informationAcute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 70.7 mg/l, Oncorhynchus mykiss (Rainbow trout)
-----------------------	-----------------------------------------------------------------------------

Ecological information on ingredients.Isotridecylalcohol, ethoxylatedAcute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: >0.20 mg/l, Marinewater fish
-----------------------	-----------------------------------------------------------

Acute toxicity - microorganisms	LC ₅₀ , 10 days: 140.3 mg/kg, Activated sludge
---------------------------------	-----------------------------------------------------------

Persistence and degradability

Persistence and degradability	The product is biodegradable but it must not be discharged into drains without permission from the authorities.
-------------------------------	-----------------------------------------------------------------------------------------------------------------

Biodegradation	The substance is readily biodegradable.
----------------	-----------------------------------------

Ecological information on ingredients.

ZOK MX

Isotridecylalcohol, ethoxylated

Biodegradation OECD 301A - Degradation > 70%: 28 days

Bioaccumulative potential

Partition coefficient log Pow: < 3

Mobility in soil

Mobility The product is miscible with water and may spread in water systems.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods Collect and place in suitable waste disposal containers and seal securely. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).

UN Number

UN No. (International) Not applicable.

UN proper shipping name

Proper shipping name (International) Not applicable.

Transport hazard class(es)

Transport Labels (International) No transport warning sign required.

Packing group

Packing group (International) Not applicable.

Environmental hazards

Environmentally Hazardous Substance
No.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

ZOK MX

National regulations

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

Guidance

Workplace Exposure Limits EH40.

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

Not listed.

SARA 313 Emission Reporting

Not listed.

CAA Accidental Release Prevention

Not listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

This product does not contain any substances known to the State of California to cause cancer, birth defects or other reproductive harm.

California Air Toxics "Hot Spots" (A-I)

Not listed.

California Air Toxics "Hot Spots" (A-II)

Not listed.

Rhode Island "Right To Know" List

Not listed.

New Jersey "Right To Know" List

Not listed.

Inventories

EU - EINECS/ELINCS

All the ingredients are listed or exempt.

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

Australia - AICS

All the ingredients are listed or exempt.

Japan - ENCS

All the ingredients are listed or exempt.

Korea - KECI

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines - PICCS

All the ingredients are listed or exempt.

ZOK MX**New Zealand - NZIOC**

All the ingredients are listed or exempt.

16. Other information

General information	Only trained personnel should use this material.
Issued by	Craig Appleby - Chemist
Revision date	6/8/2020
Revision	2020
Supersedes date	2/1/2019
SDS No.	4526
SDS status	Approved.
Hazard statements in full	H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation.
Signature	Craig Appleby
NFPA - health hazard	Irritation, minor residual injury. (1)
NFPA - flammability hazard	Will not burn. (0)
NFPA - instability hazard	Normally stable. (0)
ACA HMIS Health rating.	Slight hazard. (1)
ACA HMIS Flammability rating.	Will not burn. (0)
ACA HMIS Physical hazard rating.	Normally stable. (0)
ACA HMIS Personal protection rating.	A

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.